	Application No.	Applicant(s)
	40/050 540	VENUCATA DANGANU ET AL
Notice of Allowability	10/656,518 Examiner	VENKATARAMANI ET AL. Art Unit
•	Examinor	Art office
	Ted Kim	3746
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate ∞mm IGHTS. This application is	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to <u>02/28/2005</u> .		
2. ☑ The allowed claim(s) is/are <u>1-13, 15-19</u> .		
3. A The drawings filed on <u>05 September 2003</u> are accepted by	the Examiner.	
4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	e been received. e been received in Applicati cuments have been receive of this communication to fil MENT of this application.	on No ed in this national stage application from the e a reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) ☐ including changes required by the Notice of Draftspers	son's Patent Drawing Revie	w (PTO-948) attached
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date	,	
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment o	or in the Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on he header according to 37 C	the drawings in the front (not the back) of FR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 04/11/2005 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ⊠ Interview S Paper No 08), 7. ⊠ Examiner's	Informal Patent Application (PTO-152) Summary (PTO-413), ./Mail Date Is Amendment/Comment Is Statement of Reasons for Allowance

Art Unit: 3746

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Reeser on 4/18/05.

The CLAIMS of the application has been amended as follows:

1. (currently amended) A method for assembling a turbine engine to facilitate preventing ice accumulation on the turbine engine during engine operation, the gas turbine engine including a fan assembly, a booster downstream from the fan assembly, and a high pressure compressor downstream from the booster, the booster including an inlet guide vane assembly, at least one splitter, and an outlet guide vane assembly, said method comprising:

coupling at least one heat pipe to the engine such that a first <u>closed</u> end of the at least one heat pipe is coupled in thermal communication with a heat source; and

coupling a second <u>closed</u> end of the at least one heat pipe in thermal communication with an outer surface of an engine component that is upstream from the heat source, and positioned within at least one of the inlet guide vane assembly and the outlet guide vane assembly that is prone to icing, such that fluid flows from the first end to the second end of the at least one heat pipe, and in an opposite flow direction from the second end to the first end of the <u>at</u> least one heat pipe through the at least one heat pipe to facilitate preventing ice accumulation on the engine component outer surface an outer surface of at least one of the inlet guide vane assembly and the outlet guide vane assembly that is prone to icing.

Application/Control Number: 10/656,518

Art Unit: 3746

6. (currently amended) An ice protection system for a turbine engine, said ice protection system comprising at least one heat pipe coupled in thermal communication between a heat source and an outer surface of at least one engine component that is prone to icing, the turbine engine including a fan assembly, a booster downstream from the fan assembly, and a high pressure compressor downstream from the booster, the booster including an inlet guide vane assembly, at least one splitter, and an outlet guide vane assembly, said at least one heat pipe comprises a first closed end, a second closed end positioned within at least one of an inlet guide vane assembly and an outlet guide vane assembly, and a body extending therebetween, said body has a cross-sectional flow area that is sized to enable fluid to flow in a first direction from the first end to the second end therethrough and in a second direction from the second end to the first end therethrough during engine operation, said ice protection system facilitates at least one of preventing and mitigating ice accretion across the engine component outer surface an outer surface of at least one of the inlet guide vane assembly and the outlet guide vane assembly that is prone to icing.

Page 3

- 13. (currently amended) A gas turbine engine comprising:
- a fan assembly, a booster downstream from the fan assembly, and a high pressure compressor downstream from the booster, the booster including an inlet guide vane assembly, at least one splitter, and an outlet guide vane assembly,

a stator assembly comprising an external surface of at least one of the outlet guide vane assembly and inlet guide vane assembly that is prone to icing;

a heat source downstream from said stator assembly; and an ice protection system comprising at least one heat pipe coupled in thermal communication between said heat source and said stator assembly outer surface, said at least one heat pipe comprises a first <u>closed</u> end, a second <u>closed</u> end <u>positioned within at least one of an inlet guide</u> vane assembly and an outlet guide vane assembly, and a body extending therebetween, said body has a cross-sectional flow area that is sized to enable fluid to flow in a first direction from the

Application/Control Number: 10/656,518

Art Unit: 3746

first end to the second end therethrough and in a second direction from the second end to the first end therethrough during engine operation, said ice protection system facilitates at least one of preventing and mitigating ice accretion across the outer surface of at least one of the inlet guide vane assembly and the outlet guide vane assembly that is prone to icing.

Page 4

Claim 14 has been canceled.

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance: the prior art of record do not fairly teach in permissible combination the claimed invention. In particular, newly cited GB 2,136,880 was brought to the Examiner's attention as being cited in a copending foreign application and the heat pipe 22 is taught as heating along its length (page 1, line 116-124), hence it would facilitate heating any stator assembly 20 as well as 27. Pierce teaches heating the inlet assembly of a gas turbine engine with fan 50, booster assembly with stator (unlabled) and heat from the gearbox via lines 86, 84 is taken to deice the intake. Combining Pierce with GB '880 would teach using the heat pipe of GB '880 to heat the stator assembly of the booster assembly as well as the engine intake. However, the second end of the heat pipe would not be taught to be within the stator assembly which includes the intake guide vane assembly or outlet guide vane assembly. Furthermore, it is now explicitly made clear that the system will deice portions of the engine that are prone to icing.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/656,518

Art Unit: 3746

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Ted Kim whose telephone number is 571-272-4829. The Examiner can be reached on regular business hours before 5:00 pm, Monday to Thursday and every other Friday.

The fax numbers for the organization where this application is assigned are 703-872-9306 for Regular faxes and 703-872-9306 for After Final faxes.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler, can be reached on 571-272-4834.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist of Technology Center 3700, whose telephone number is 703-308-0861. General inquiries can also be directed to the Patents Assistance Center whose telephone number is 800-786-9199. Furthermore, a variety of online resources are available at http://www.uspto.gov/main/patents.htm

Ted Kim		
Ted Kim	Telephone	571-272-4829
Primary Examiner	Fax (Regular)	703-872-9306
April 18, 2005	Fax (After Final)	703-872-9306
Technology Center 3700 Receptionist	Telephone	703-308-0861
Patents Assistance Center	Telephone	800-786-9199